

CERTIFICATE OF ANALYSIS

<u>TEST</u>	METHOD	RESULT	<u>UNITS</u>
Acidity as Acetic acid	ASTM D1613	0.001	wt %
Appearance	EC A A01	Bright and Clear	
Platinum Cobalt Color	ASTM D5386	1	
Initial Boiling Point	ASTM D1078	82.2	°C
Dry Point	ASTM D1078	82.4	°C
Distillation Range	ASTM D1078	0.2	°C
Purity	DIN 55685	100.0	wt %
Refractive Index at 20°C	ASTM D1218	1.3772	
Specific Gravity at 20/20°C	ASTM D4052	0.7864	
Water Content	ASTM D1364	0.0	wt %
Water Miscibility	ASTM D1722	passes test	
Nonvolatile Matter	ASTM D1353	0.000	g/100ml

Comments:

Tank Terminal: VOPAK ACS

Tank number: 62

Product: ExxonMobil IPA

Intertek Reference: BE100-0132542 Analysis Report: 20-017854-0-BLG-001-00

Sample Nr.: 3865521

Shoretank 62 After Discharge 62 dd. 07-10-2020

Date of issue: 07-10-2020

This certificate has been authorised by: Ben Van Buyten on Wednesday, October 7, 2020

Approved for Sales

ExxonMobil Chemical guarantees that all properties that are only periodically tested meet the requirements of the Sales Specifications. Unless otherwise specified herein: data were prepared pursuant to ExxonMobil's sampling and testing procedures in effect at time of production; and applicable sampling and testing methods are available upon request. Values may result from interpolation or correlation of other data. Sampling and testing methods are subject to change without notice unless otherwise agreed in writing. Tests conducted according to International Standard Test Methods are routinely verified to be in compliance with the latest published versions. Minor changes may be made where they have no material impact on test results and are necessitated by reasons such as safety, environmental standards and method effectiveness.